



Stony Brook Children's

Combination DPI DEVICES TECHNIQUES, PRIMING & CARE

Lisa Romard, MS, RN, CPNP, ANP, AE-C



Stony Brook Children's

- **Disclosures:**

- This presentation and clinical recommendations support “best available evidence” from medical literature.
- I refrain from making recommendations regarding products or services.
- I have no financial relationship requiring divesting.
- I have associations or memberships with the following organizations
 - Stony Brook University Hospital
 - Association of Asthma Educators
 - National Association of Pediatric Nurse Practitioners
 - Asthma Coalition of Long Island



CONTENT & GRAPHICS FOR THIS PRESENTATION HAS BEEN ADAPTED FROM VARIOUS LECTURES, POWER POINT PRESENTATIONS THAT I HAVE GIVEN THROUGH MY POSITION @ STONYBROOK UNIVERSITY HOSPITAL, AND THE ASTHMA COALITION OF LI

Good resource : American Association for Respiratory Care Guide to Aerosol Delivery Devices
https://www.aarc.org/resources/aerosol_nonrt.pdf



- Two medicines in one device:
 - ✓ Inhaled steroid
 - ✓ Long acting bronchodilator
 - ✓ Available in different strengths
 - ✓ Do not blow into device,
 - ✓ Do not get device wet, store in dry place
- Always rinse your mouth with water and spit it out after taking this medicine to avoid local Side effects: hoarseness, oral thrush
- Currently FDA approved in US: Accessed from site: 6/1/15
<http://www.fda.gov/Drugs/DrugSafety/InformationbyDrugClass/ucm082370.htm>
- ADVAIR Diskus (salmeterol xinafoate/fluticasone propionate powder for inhalation)
- NEW 2015: Breo Ellipta (fluticasone furoate and vilanterol trifenatate)



- Device that delivers medication to the lungs in the form of a dry powder
- DPI-Dry powder inhalers (e.g. diskus, flexhaler, Ellipta,)
- Need to follow specific instructions (usually ages 6yo & up)
- Require “quick and deep” inhalation, requires a specific inspiratory effort & ability to follow

COMBINATION ICS DPI

- *Advair diskus- disc shape- kids refer to it as the hamburger*
- *Plastic case, mouthpiece, loading lever, dose counter*
- *Inside has gears that forward the blister packets of powder medication, and a mechanism to open the packets*



	Fluticasone in Combination with Salmeterol (bronchodilator)	Advair Diskus 100/50 Advair Diskus 250/50 Advair Diskus 500/50	Control/prevent asthma.	Advair Diskus 100/50 is for age 4 to 11. Advair Diskus 100/50, 250/50 and 500/50 are for age 12 and older. Usual dose: One inhalation twice daily.	Shaking: no Spacer: no Priming: no Counter: yes Cleaning: Weekly, clean the outside of the device with a dry tissue The "Use by" date is 1 month from date of opening. Store: Room temperature-cool & dry place Out of children's reach
---	--	---	-------------------------	--	---

Source: <http://www.aaaai.org/conditions-and-treatments/treatments/drug-guide/inhaled-corticosteroids.aspx>


Stony Brook Children's • [ADVAIR Diskus \(salmeterol xinafoate/fluticasone propionate powder for inhalation\)](#)
Initial U.S. Approval: 2000



3 Strengths : **100/50 , 250/50, 500/50 (fluticasone propionate and salmeterol inhalation powder) DRY POWDER INHALER BREATH ACTUATED DEVICE (60 doses)**

is indicated for the treatment of asthma in patients aged 4 years and older.

Pregnancy Category C.

beta-blockers could be considered, although they should be administered with caution

Black box warning: increased risk of asthma-related death from LABA

Accessed: <http://www.fda.gov/Drugs/DrugSafety/InformationbyDrugClass/ucm082370.htm>

 **Stony Brook Children's**

- [ADVAIR Diskus \(salmeterol xinafoate/fluticasone propionate powder for inhalation\)](#)




Open




Click

✓ BREATHE OUT AWAY FROM DISKUS
✓ HOLD DISKUS FLAT
DON'T MOVE OR SHAKE IT
AFTER LOADING THE DOSE



Take the Medicine

Hold Your Breath x 10sec



Breathe out slowly through nose




Close



Outer Case
Counter
Mouthpiece
Thumb Grip
Lever

 **Stony Brook Children's**

- [Breo Ellipta \(fluticasone furoate and vilanterol trifénatate\)](#) Initial U.S. Approval: indication for asthma 4/2015



Mouthpiece
Air vent
Counter
Cover
"Click"

2 strengths : **100/25 , 200/25 (fluticasone furoate and vilanterol inhalation powder)**, DRY POWDER INHALER BREATH ACTUATED DEVICE (30 doses)

Is a combination ICS/LABA indicated for the once-daily treatment of asthma in patients aged 18 years and older.
Pregnancy Category C.

beta-blockers could be considered, although they should be administered with caution
increased risk of asthma-related death from LABA

http://www.accessdata.fda.gov/drugsatfda_docs/label/2015/204275s001lbl.pdf

 **Stony Brook Children's**

HOW TO USE A Combination Diskus DPI

• Use instructional handouts for each type
 • Use a video clips:
 • http://www.cdc.gov/asthma/inhaler_video/ (Eng/Spanish)
 • or an App on your electronic devices
 • **Assist Me-**
 FREE with multiple inhaler assistance
 step by step instructions on correct inhaler



 **Stony Brook Children's**

COMBINATION MEDICATION -DPI DISKUS FACT SHEET

• Requires minimal mouth to hand coordination
 • Drug aerosol is created by directing turbulent air through loose powder- respirable dose depends on inspiratory flow
 • Advantage of needing no propellant
 • Store in cool, dry place @ room temperature-
 Example Not a bathroom
 • Throw out after 1 month out of package
 • Follow manufacturers guidelines
 • Appropriate for older children, adults able to follow the proper instruction/technique for use

**EDUCATING FOR USE :**

- Review device instructions carefully, and practice with a placebo device themselves prior to teaching others.
- Demonstrate assembly and correct use of device to patients using a checklist.
- Provide the patient with written instructions on how to use the device, and include a written plan for use of the medication (frequency based on symptoms).
- Have the patient practice use of the device while being observed
- Review patient use of the device at each return visit.
- Review the patient's understanding of the inhaled medications at each return visit (when to use, purpose of drug, prescribed frequency).
- Have a high index of suspicion for incorrect use or non-adherence if poor management of airway disease occurs.

**Scenerio**

- Derrick is a 14 yo male with long standing unstable asthma. He is hospitalized for his 2nd asthma exacerbation admission this year.
- During the asthma education class he states “ That purple disc medicine doesn’t work, I cant feel it going in”
- What might be the problems to consider, what might you change for him?

**WHO WOULD ADVAIR DISKUS BE INDICATED?**

A. 14 yo female athlete with moderate persistent asthma
Currently on Medium strength ICS & Albuterol multiple times /wk for EIA symptoms

B. 3 yo boy with mild persistent asthma
Currently not well controlled

C. 28 yo male with down syndrome & developmental delays with moderate persistent asthma
Currently not well controlled

D. 5 yo female with severe persistent asthma, not well controlled, + risk for exacerbation , currently on High dose ICS

E. 12 month old male with poorly controlled severe persistent asthma
Currently at high risk for hospitalization

**WHO WOULD ADVAIR DISKUS BE INDICATED?**

Q. 14 yo female athlete with moderate persistent asthma
Currently on Medium strength ICS & Albuterol multiple times /wk for EIA symptoms
Currently not well controlled
✓ A- Yes indicated- Age, classification, not well controlled

Q. 5 yo female with severe persistent asthma
Currently taking High dose ICS, symptoms average 2x/wk
✓ A- Yes indicated- Age, classification, not well controlled



Stony Brook Children's

“WHEN YOU CAN'T BREATHE, NOTHING ELSE MATTERS”

Federal trademark registration *By: American Lung Association*

